

**BUILT[®]
FOR
WORK**



WHAT'S INSIDE

✦ Our Certifications	4
✦ Premium Series	5
✦ Sporty Series	10
✦ Boots	15
✦ Executive Series	18
✦ Vegan Series	21
✦ Basic Series	22
✦ Heat Resistance	27
✦ Ladies Series	30
✦ ESR Series	31
✦ ESD Series	34
✦ Metal Free Series	37
✦ Formal Shoes	40
✦ PVC Series	42
✦ Shoe Anatomy	44
✦ Classification Chart	45

OUR CERTIFICATIONS



BIS LICENSE



CLE CERTIFICATE



CE CERTIFICATE



FDDI CERTIFICATE



FIEO



DGFT



INTERTEK TEST REPORT



ISO 9001:2015



ISO 14001:2015



TRADE MARK CERTIFICATE



SAMA



Premium Series

PREMIUM SERIES

PREMIUM SERIES



Article#**1019/BLK**
 Upper **BUFF GRAIN CG LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#**1024**
 Upper **BUFF GRAIN APOLLO LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#**1019/BRN**
 Upper **CRAZY HORSE BROWN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#**1091**
 Upper **BUFF GRAIN APOLLO LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#**1022**
 Upper **BUFF GRAIN CG LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#**1119**
 Upper **BUFF GRAIN TANGO LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**

PREMIUM SERIES



Article# **1027/BLK**
 Upper **BUFF GRAIN APOLLO LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**

PREMIUM SERIES



Article# **1092/Y**
 Upper **BUFF GRAIN BARTON (COMBO)
 LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article# **1044**
 Upper **CRAZY HORSE BROWN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article# **1003/Y**
 Upper **BUFF GRAIN BARTON LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article# **1030/BRN**
 Upper **CRAZY HORSE BROWN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article# **1092/BLUE**
 Upper **BUFF GRAIN BARTON (COMBO)
 LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Sporty Series

SPORTY SERIES



Article# **1007**

Upper **BUFF GRAIN CG/SUEDE LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE/DOUBLE DENSITY**
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE
 Size **05-12**



Article# **1027/BEIGE**

Upper **BUFF SUEDE BEIGE LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE/DOUBLE DENSITY**
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE
 Size **05-12**



Article# **1027/BLK**

Upper **BUFF SUEDE BLACK LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE/DOUBLE DENSITY**
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE
 Size **05-12**



SPORTY SERIES



Article#1025/CT

Upper **BUFF SUEDE BROWN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200J EN 12568**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#1075

Upper **BUFF SUEDE HONEY LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#1115/A

Upper **BUFF GRAIN APOLLO LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**

SPORTY SERIES



Article#1118/BLK

Upper **BUFF NUBUCK BLACK LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#1118/BRN

Upper **BUFF NUBUCK BROWN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#1030/BLK

Upper **BUFF NUBUCK BLACK LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**

SPORTY SERIES



Article# **1030/HONEY**
Upper **BUFF NUBUCK HONEY LEATHER**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL 200 J EN 12568**
Insocks **MEMORY FOAM**
Sole **PU SINGLE/DOUBLE DENSITY**
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE
Size **05-12**



Article# **1033**
Upper **BUFF SUEDE BLACK LEATHER**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL 200 J EN 12568**
Insocks **MEMORY FOAM**
Sole **PU SINGLE/DOUBLE DENSITY**
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE
Size **05-12**



Article# **1034**
Upper **BUFF SUEDE LEATHER**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL 200 J EN 12568**
Insocks **MEMORY FOAM**
Sole **PU SINGLE/DOUBLE DENSITY**
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE
Size **05-12**



BOOTS



Article#**5005**
 Upper **BUFF GRAIN CG LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Puff **HEAT ACTIVATED SHEET**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**



Article#**5011**
 Upper **BUFF SUEDE BROWN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Puff **HEAT ACTIVATED SHEET**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**



Article#**1126**
 Upper **BUFF SUEDE BEIGE LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Puff **HEAT ACTIVATED SHEET**
 Insocks **MEMORY FOAM**
 Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**

BOOTS



Article#**1093**
 Upper **BUFF BARTON PRINT LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Puff **HEAT ACTIVATED SHEET**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**



Article#**1117/OG**
 Upper **CANVAS OLIVE GREEN FABRIC**
 Lining **TEXTILE FABRIC**
 Toe Puff **HEAT ACTIVATED SHEET**
 Insocks **PLAIN**
 Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**



Article#**1117/BLK**
 Upper **CANVAS BLACK FABRIC**
 Lining **TEXTILE FABRIC**
 Toe Puff **HEAT ACTIVATED SHEET**
 Insocks **PLAIN**
 Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**



Executive Series



EXECUTIVE SERIES

Article#1116/TAN

Upper **BUFF GRAIN CG TAN LEATHER**
Lining **TEXTILE FABRIC**
Toe Puff **HEAT ACTIVATED SHEET**
Insocks **PLAIN**
Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
Size **05-12**



Article#1116/BRN

Upper **BUFF GRAIN CG BROWN LEATHER**
Lining **TEXTILE FABRIC**
Toe Puff **HEAT ACTIVATED SHEET**
Insocks **PLAIN**
Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
Size **05-12**



Article#1116/BLK

Upper **BUFF GRAIN CG BLACK LEATHER**
Lining **TEXTILE FABRIC**
Toe Puff **HEAT ACTIVATED SHEET**
Insocks **PLAIN**
Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
Size **05-12**



EXECUTIVE SERIES



Article#**5009**

Upper **BUFF CALF SMOOTH LEATHER**
Lining **TEXTILE FABRIC**
Toe Puff **HEAT ACTIVATED SHEET**
Insocks **MOULDED**
Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
Size **05-12**



Article#**5013**

Upper **COW ELEGANCE LEATHER**
Lining **TEXTILE FABRIC**
Toe Puff **HEAT ACTIVATED SHEET**
Insocks **MOULDED**
Sole **PU SINGLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
Size **05-12**



Article#**1015**

Upper **WASHABLE WHITE MICROFIBRE**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL 200 J EN 12568**
Insocks **MOULDED**
Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120 C MAXIMUM, SLIP & ABRASION RESISTANCE**
Size **05-12**



Article#**1089**

Upper **WASHABLE WHITE MICROFIBRE**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL 200 J EN 12568**
Insocks **MOULDED**
Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120 C MAXIMUM, SLIP & ABRASION RESISTANCE**
Size **05-12**

Basic Series



BASIC SERIES

Article# **1157**

Upper **BUFF BARTON PRINT LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **PLAIN**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article# **1012**

Upper **BUFF BARTON PRINT LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **PLAIN**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article# **1092/C**

Upper **BUFF GRAIN BARTON (COMBO)
 LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **PLAIN**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



BASIC SERIES



Article# **1045**
 Upper **BUFF GRAIN BARTON (COMBO) LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **PLAIN**
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**



Article# **1141**
 Upper **BUFF GRAIN BARTON (COMBO) LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**



Article# **1094/BRN**
 Upper **BUFF GRAIN BOOTY BROWN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**

BASIC SERIES



Article# **1094/BLK**
 Upper **BUFF GRAIN BARTON LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**



Article# **1003**
 Upper **BUFF GRAIN BARTON LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**



Article# **1046**
 Upper **BUFF GRAIN TAN BOOTY LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ANTISTATIC SOLE, HEAT RESISTANCE UPTO 120°C MAXIMUM, SLIP & ABRASION RESISTANCE**
 Size **05-12**

BASIC SERIES



Article# **1013/TAN**

Upper **BUFF GRAIN TAN BOOTY LEATHER**

Lining **TEXTILE FABRIC**

Toe Cap **STEEL 200 J EN 12568**

Insocks **MOULDED**

Sole **PU SINGLE/DOUBLE DENSITY
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE**

Size **05-12**



Article# **1130**

Upper **BUFF BARTON PRINT LEATHER**

Lining **TEXTILE FABRIC**

Toe Cap **STEEL 200 J EN 12568**

Insocks **PLAIN**

Sole **PU SINGLE/DOUBLE DENSITY
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE**

Size **05-12**



Article# **1005**

Upper **BUFF GRAIN BARTON LEATHER**

Lining **TEXTILE FABRIC**

Toe Cap **STEEL 200 J EN 12568**

Insocks **MOULDED**

Sole **PU SINGLE/DOUBLE DENSITY
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE**

Size **05-12**

Heat Resistance



HEAT RESISTANCE



Article#1016

Upper **BUFF GRAIN BARTON LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **DIRECT INJECTED PU MIDSOLE AND NITRILE RUBBER OUTSOLE WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300°C FOR 1 MINUTE**
 Size **05-12**

HEAT RESISTANCE



Article#1161

Upper **BUFF BARTON PRINT LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568 WITH NON METALLIC METARSAL PROTECTION PLAIN**
 Insocks **MOULDED**
 Sole **NITRILE RUBBER SOLE WITH VULCANIZED PROCESS BLACK COLOR SOLE WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300°C FOR 1 MINUTE**
 Size **05-12**



Article#1162

Upper **BUFF GRAIN APOLLO LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **DIRECT INJECTED PU MIDSOLE AND NITRILE RUBBER OUTSOLE ANTISTATIC WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300 C FOR 1 MINUTE**
 Size **05-12**



Article#1180

Upper **BUFF GRAIN BARTON LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **NITRILE RUBBER SOLE WITH VULCANIZED PROCESS BLACK COLOR SOLE WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300°C FOR 1 MINUTE**
 Size **05-12**



Article#1163

Upper **BUFF GRAIN APOLLO LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **DIRECT INJECTED PU MIDSOLE AND NITRILE RUBBER OUTSOLE ANTISTATIC WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300°C FOR 1 MINUTE**
 Size **05-12**



Article#1181

Upper **BUFF GRAIN BARTON LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insocks **MOULDED**
 Sole **NITRILE RUBBER SOLE WITH VULCANIZED PROCESS BLACK COLOR SOLE WITH RESISTANCE TO ACID, ALKALI AND HEAT RESISTANCE UPTO 300 C FOR 1 MINUTE**
 Size **05-12**

Ladies Series



Article#**1177**

Upper **BUFF GRAIN APOLLO LEATHER**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL 200 J EN 12568**
Insocks **MOULDED**
Sole **PU SINGLE/DOUBLE DENSITY
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE**
Size **02-08**



Article#**1178**

Upper **BUFF GRAIN BARTON LEATHER**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL 200 J EN 12568**
Insocks **MOULDED**
Sole **PU SINGLE/DOUBLE DENSITY
ANTISTATIC SOLE, HEAT
RESISTANCE UPTO 120°C
MAXIMUM, SLIP & ABRASION
RESISTANCE**
Size **02-08**

ESR Series



ESR SERIES



Article#1012/ESR

Upper **BUFF GRAIN BARTON LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200 J EN 12568**
 Insoles **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ESR**
SOLE UPTO 15KVA.
 Size **05-12**



Article#1022/ESR

Upper **BUFF GRAIN CG LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200 J EN 12568**
 Insoles **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ESR**
SOLE UPTO 15KVA.
 Size **05-12**



Article#1025/ESR

Upper **BUFF SUEDE BROWN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200 J EN 12568**
 Insoles **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ESR**
SOLE UPTO 15KVA.
 Size

ESR SERIES



Article#1033/ESR

Upper **BUFF SUEDE BLACK LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200 J EN 12568**
 Insoles **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ESR**
SOLE UPTO 15KVA.
 Size **05-12**



Article#1046/ESR

Upper **BUFF GRAIN BOOTY TAN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200 J EN 12568**
 Insoles **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ESR**
SOLE UPTO 15KVA.
 Size **05-12**

ESD Series



ESD SERIES



Article# **1012/ESD**

Upper **BUFF GRAIN TANGO LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insoles **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY ESD**
SOLE UPTO 100 KΩ TO 100 MΩ
 Size **05-12**



Article# **1019/ESD**

Upper **CRAZY HORSE BROWN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insoles **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY**
ESD SOLE UPTO 100 KΩ TO 100
 Size



Article# **1089/W/ESD**

Upper **WASHABLE MICROFIBRE WHITE**
 Lining **TEXTILE FABRIC**
 Toe Cap **STEEL 200 J EN 12568**
 Insoles **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY**
ESD SOLE UPTO 100 KΩ TO 100
 Size



ESD SERIES



Article# **1089/B/ESD**

Upper **WASHABLE MICROFIBER BLACK**

Lining **TEXTILE FABRIC**

Toe Cap **STEEL 200 J EN 12568**

Insocks **MOULDED**

Sole **PU SINGLE/DOUBLE DENSITY ESD**

SOLE UPTO 100 K Ω TO 100 M Ω

Size **05-12**



Metal free Series



METAL FREE SERIES



Article#**1022/MF**

Upper **BUFF GRAIN CG LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#**1025/MF**

Upper **BUFF SUEDE BROWN LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#**1033/MF**

Upper **BUFF SUEDE BLACK LEATHER**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**

METAL FREE SERIES



Article#**1089/W/MF**

Upper **WASHABLE MICROFIBRE WHITE**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**



Article#**1089/B/MF**

Upper **WASHABLE MICROFIBRE BLACK**
 Lining **TEXTILE FABRIC**
 Toe Cap **COMPOSITE 200 J EN 12568**
 Insocks **MOULDED**
 Sole **PU SINGLE/DOUBLE DENSITY
 ANTISTATIC SOLE, HEAT
 RESISTANCE UPTO 120°C
 MAXIMUM, SLIP & ABRASION
 RESISTANCE**
 Size **05-12**

FORMAL SHOES

Formal Shoes



Article#**5002**

Upper **BUFF CALF FIESTA LEATHER**
Lining **LEATHER/TEXTILE FABRIC**
Toe Puff **HEAT ACTIVATED SHEET**
Insocks **MEMORY FOAM**
Sole **PU SINGLE DENSITY**
Size **06-11**



Article#**5004**

Upper **BUFF CALF FIESTA LEATHER**
Lining **LEATHER/TEXTILE FABRIC**
Toe Puff **HEAT ACTIVATED SHEET**
Insocks **MEMORY FOAM**
Sole **PU SINGLE DENSITY**
Size **06-11**



Article#**5001**

Upper **BUFF CALF FIESTA LEATHER**
Lining **LEATHER/TEXTILE FABRIC**
Toe Puff **HEAT ACTIVATED SHEET**
Insocks **MEMORY FOAM**
Sole **PU SINGLE DENSITY**
Size **06-11**



Article#**5006**

Upper **BUFF CALF FIESTA LEATHER**
Lining **LEATHER/TEXTILE FABRIC**
Toe Puff **HEAT ACTIVATED SHEET**
Insocks **MEMORY FOAM**
Sole **PU SINGLE DENSITY**
Size **06-11**

PVC SERIES

Article#**2001**

Upper **BUFF BARTON PRINT LEATHER**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL TOE (ISI)**
Insocks **PLAIN**
Sole **PVC**
Size **05-12**



Article#**2002**

Upper **BUFF BARTON PRINT LEATHER**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL TOE (ISI)**
Insocks **PLAIN**
Sole **PVC**
Size **05-12**



Article#**2003**

Upper **BUFF BARTON PRINT LEATHER**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL TOE (ISI)**
Insocks **PLAIN**
Sole **PVC**
Size **05-12**



PVC Series



Article#**2001 BROWN**

Upper **BUFF BARTON PRINT LEATHER**
Lining **TEXTILE FABRIC**
Toe Cap **STEEL TOE (ISI)**
Insocks **PLAIN**
Sole **PVC**
Size **05-12**



SHOE ANATOMY



- 1 JACKSON
- 2 RIDER
- 3 CHARLIE
- 4 ROBERT
- 5 LUCY
- 6 CROMWELL
- 7 URBAN
- 8 RINGO
- 9 MATRIX
- 10 PETER

SOLE TYPES

- ESD**
ESD safety shoes with electrical resistance ranging from 100K Ohms to 100 M Ohms, used in specialized industries like electronic, automobile, aerospace painting etc.
- Genuine Leather**
Genuine leather with an option for German DIN standard. It's breathable, durable and water resistant.
- 100% Metal Free**
Kevlar
Lighter, Flexible and more comfortable than the traditional steel midsole. 100% protection over the entire surface of the sole. 100% metal free Antistatic. EN12568 : 2010
- Cambrelle** Lining
100% polyimide, breathable, absorbing and releasing moisture, abrasion resistant, odour free, antibacterial
- Fibreglass Toe**
Steel/Non-metal Toe Cap
Metal/Fibre toe cap as per European standards provides plenty of toe room and ensures there is no discomfort or fatigue even after long hours of use. Tested for energy level up to 200 Joules.
- Steel Toe**
Anti Skid
A skid resistant softer outsole made of rubber that is more slip resistant when exposed to water and oil than other outsole compounds.
- Polyurethane Sole**
Available in Single or Double Density. Oil, acid and abrasion resistant, light weight and anti skid.

UNMATCHED FEATURES

1.	Upper	100% Genuine leather breathable and skin friendly, exclusively made in our own state of the art tannery. 1. Thickness : 2.0 ± 0.2 mm 2. Tear Strength : 120 N 3. Flexing Resistance : 1,50,000 cycles
2.	Lining	Imported 280 GSM non woven felt for vamp & Imported 150GSM Cambrelle type with foam/functional breathable textile for quarter. 1. Tear Strength 15 N 2. Abrasion : Dry-25,600 cycles and Wet-12,800 cycles
3.	Toe Cap	Steel Toe Cap - Imported EN marked powder coated heat treated rust resistant, smooth edges tested for impact resistance of 200 J. Polymer Toe Cap (FRP Toe)* - Imported polymer 30% lighter, rust resistant, smooth edges tested for impact resistance of 200 J.
4.	Insole	2.00 mm thick non woven Anti static Insole tested for no surface tearing till 400 cycles.
5.	In-socks	Min 3.00mm molded arch supported EVA/PU in-socks
6.	Laces & Thread	Nylon, twisted and resistant to appropriate breaking load.
7.	Outsole	Directly Injected Double Density PU/PU, PU/TPU, PU/Rubber & EVA/Rubber out sole antiskid, antistatic, oil & fuel resistance. Our Shoes made on Direct Vulcanized rubber sole can withstand a temp. up to 300°C.
8.	Marking	



CLASSIFICATION CHART

FOOTWEAR CLASSIFICATION ACCORDING TO PROTECTION LEVEL		CATEGORY MARKING				
EN ISO 20347 Occupational footwear		OB	O1	O2	O3	O4
EN ISO 20345 Safety Footwear; protection of toe against impact upto 200J and compression force of 15 kn		SB	S1	S2	S3	S4
SYMBOL	COVERED RISKS					
	Basic requirement	X	X	X	X	X
	Closed heel part	X	X	X	X	X
E	Energy absorption in heel area	X	X	X	X	X
A	Antistatic properties	X	X	X	X	X
WRU	Upper part: resistant to penetration and absorption of water	X	O		X	X
P	Protection of outsole complex against puncture	X	O		X	X
	Sole with outsole pattern	X	O	X	X	O
CI	Insole of outsole complex against cold	X	O	X	O	O
HI	Insole of outsole complex against heat	X	O	X	O	O
HRO	Outsole resistance against contact heat	X	O	X	O	O
WR	Footwear resistance to water	X	O	X	O	
FO	Outsole resistance to fuel (valid only for work footwear)	X	O	X	O	O

to be market OB. one more requirement from those for complete footwear E, A, P, CI, HI, WR is required to be fulfilled.

X = necessary, basic requirement, it must be fulfilled for specific category. 0 = not necessary, additional requirement, according to client's requirement.

EN ISO 20347:2004, EN ISO 20345:2004. dedicated to a product, guarantees the quality level defined by the European standards. If the footwear does not contain additional marking, protection against such risks is not included.

- EN ISO 20344 - Testing methods for Safety, protective and work footwear.
- EN ISO 20345 - Safety footwear (marking "SB, S1 - S5") with a toe cap resistant against 200 J impact and is kN pressure.
- EN ISO 20346 - Protective footwear (marking "PB, P1 - P5") with a toe cap resistant against 200 J impact and IO kN pressure.
- EN ISO 20347 - Occupational footwear (marking, "OB, O1 - O5") This footwear that does not contain any protective toe cap.
- EN 50321 - Electrical insulating footwear for work in low voltage environment.



AN ISO 9001:2015
& 14001:2015
CERTIFIED CO.



Manufactured & Marketed by :



Marshal HMB (P) Ltd.

Marketing by

Waqt Almarah Occupational Hygiene &
Safety Requisites Trading Co. L.L.C
Deira, Dubai, UAE.

Email: waqtalmarahdubai@gmail.com
Mobile no. 054 998 4037/8
Landline : 042852275

