

HS

INTERNATIONAL

# SAFETY SHOES

*Collection 2024*





HS

# ABOUT US

---



## *Leading the Way in Safety Footwear with HS International*

At HS International, quality isn't just a standard; it's our commitment. Since our foundation in 1996 by visionary Mr. Naushad Ahmad, we have set the benchmark for safety footwear. Our journey from a pioneering provider to a leader in safety shoes is built on a philosophy of delivering protective footwear that doesn't just meet expectations but exceeds them. With headquarters in Kanpur and a robust presence across strategic locations, we ensure every pair of shoes we produce is a testament to our dedication to safety, durability, and style.

# ARTICLE: HS-1101

Upper	High Quality Suede Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C , Anti-Static
Standard Size	IS 15298 :2016 PART-2 (CM/L-9300130405) EU 39-46 , UK 5-12



# ARTICLE: HS-1102

Upper	High Quality Full Grain Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C , Anti-Static
Standard Size	IS 15298 :2016 PART-2 (CM/L-9300130405) EU 39-46 , UK 5-12



## ARTICLE : HS-1103

Upper	High Quality Italian with Crazy Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1104

Upper	High Quality Buff Suede with Full Grain Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1105



Upper	High Quality Corrected Grain (C.G) Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12

## ARTICLE : HS-1106

Upper	High Quality Corrected Grain (C.G) Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1001

Upper	High Quality Buff Suede Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



---

## ARTICLE : HS-1003

Upper	High Quality Full Grain with Grey Crazy Horse Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1004

Upper High Quality Full Grain with Grey Crazy Horse Leather  
Last 604  
Toe Cap 200 Joules En Certified  
Sole Dual Density Polyurethane , Oil & Fuel Resistant,  
Slip Resistant, Heat Resistant Upto 120°C, Anti-Static  
Standard IS 15298 : 2016 PART-2 (CM/L-9300130405)  
Size EU 39-46 , UK 5-12



## ARTICLE : HS-1005

Upper High Quality Full Grain with Crazy Horse Leather  
Last 604  
Toe Cap 200 Joules En Certified  
Sole Dual Density Polyurethane , Oil & Fuel Resistant,  
Slip Resistant, Heat Resistant Upto 120°C, Anti-Static  
Standard IS 15298 : 2016 PART-2 (CM/L-9300130405)  
Size EU 39-46 , UK 5-12

## ARTICLE : HS-1006

Upper High Quality Full Grain with Crazy Horse Leather  
Last 604  
Toe Cap 200 Joules En Certified  
Sole Dual Density Polyurethane , Oil & Fuel Resistant,  
Slip Resistant, Heat Resistant Upto 120°C, Anti-Static  
Standard IS 15298 : 2016 PART-2 (CM/L-9300130405)  
Size EU 39-46 , UK 5-12







*HS International's  
Commitment to a  
Greener Tomorrow*

# Sustainability



Sustainability is at the core of everything we do at HS International. We believe that our responsibility extends beyond manufacturing superior safety shoes—it's about making a positive impact on the planet. Our initiatives include recycling, water-saving techniques, and using renewable energy sources as far as possible. These efforts have not only reduced our carbon footprint but have also set new industry standards for environmental stewardship.

## ARTICLE : HS-1007

Upper	High Quality Crazy Horse Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1009

Upper	High Quality Crazy Horse with Italian Toe Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1010

Upper	High Quality Crazy Horse Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1011

Upper	High Quality Crazy Horse with Full Grain Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1013

Upper	High Quality Crazy Horse Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1015

Upper	High Quality Crazy Horse Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1016

Upper	High Quality Crazy Horse Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-1017

Upper	High Quality Crazy Horse Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



# Safety Footwear



*Protecting Every Step with HS  
International Safety Shoes*

Safety is non-negotiable. At HS International, we specialize in producing safety footwear that offers both protection and comfort. Engineered with modern technology, our shoes are designed to shield against various hazards while ensuring all-day comfort. Whether you're on a construction site or in a manufacturing plant, our shoes are your best defense against the unexpected.



## ARTICLE : HS-901

Upper	High Quality Grain Tango with Grey Crazy Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-902

Upper	High Quality Apollo Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12





# ARTICLE : HS-801



Upper	High Quality Full Grain Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard Size	IS 15298 : 2016 PART-2 (CM/L-9300130405) EU 39-46 , UK 5-12

## ARTICLE : HS-802

Upper	High Quality Grain Tango Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-807

Upper	High Quality Grain Tango Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



# Mission Statement



# Our Promise:

*Excellence in Every Shoe*

---

At HS International, our mission is clear: to deliver safety footwear that defines quality and protection. We aim to serve our customers with unparalleled reliability and foster an environment of safety across industries. Join us in our mission to protect and serve, one step at a time.



## ARTICLE : HS-808

Upper	High Quality Barton Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-701

Upper	High Quality Barton Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-601

Upper	High Quality Barton Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-602

Upper	High Quality Barton Leather
Last	604
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-2727

Upper	High Quality Crazy Horse Brown Leather
Last	459
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-2728

Upper	High Quality Crazy Horse Green Leather
Last	459
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



# ARTICLE : HS-2601



Upper	High Quality Din Suede Leather S-3
Last	459
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard Size	IS 15298 : 2016 PART-2 (CM/L-9300130405) EU 39-46 , UK 5-12



# LOGISTICS

Safety  
Delivered  
Swiftly





Our strategic location in the heart of India, near major transportation hubs, enhances our logistical capabilities, ensuring efficient and timely delivery of our products worldwide. At HS International, 'Safety Delivered Swiftly' isn't just a slogan—it's a promise we keep with our advanced supply chain management and meticulous planning.

## ARTICLE : HS-2602

Upper	High Quality Grain Tango Brown Leather
Last	459
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-2610

Upper	High Quality Corrected Grain (C.G) Leather
Last	459
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-2576

Upper	High Quality Grain Tango Leather
Last	459
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-2450

Upper	High Quality Grain Tango Leather
Last	459
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12

# Quality Check

*Uncompromised  
Quality with Every  
Step*

Quality control at HS International is rigorous and detailed. Every safety shoe undergoes rigorous quality checks to ensure unmatched excellence and reliability.





Every shoe is checked from the beginning to end, from raw material to finished product, and our quality control protocols are designed to uphold the highest standards. Certified by ISI, ISO, and CE, our products are synonymous with safety and dependability, making us a trusted partner in protective footwear.



## ARTICLE : HS-2452

Upper	High Quality Grain Tango Leather
Last	459
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-2453

Upper	High Quality Grain Tango Leather
Last	459
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-2454

Upper	High Quality Grain Tango Leather
Last	459
Toe Cap	200 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2016 PART-2 (CM/L-9300130405)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-2325

Upper	High Quality Barton Leather
Last	459
Toe Cap	140 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2019 PART-3 (CM/L-9300130506)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-2201

Upper	High Quality Barton Leather
Last	459
Toe Cap	140 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2019 PART-3 (CM/L-9300130506)
Size	EU 39-46 , UK 5-12





## ARTICLE : HS-2202

Upper	High Quality Barton Leather
Last	459
Toe Cap	140 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2019 PART-3 (CM/L-9300130506)
Size	EU 39-46 , UK 5-12



## ARTICLE : HS-2204

Upper	High Quality Grain Apollo /Alabama Leather
Last	459
Toe Cap	140 Joules En Certified
Sole	Dual Density Polyurethane , Oil & Fuel Resistant, Slip Resistant, Heat Resistant Upto 120°C, Anti-Static
Standard	IS 15298 : 2019 PART-3 (CM/L-9300130506)
Size	EU 39-46 , UK 5-12

